HOSP



Permit#2006-13

NATIONAL FLOOD INSURANCE PROGRAM

ELEVATION CERTIFICATE

AND

INSTRUCTIONS

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Federal Emergency Management Agency
National Flood Insurance Program

Important: Read the instructions on pages 1-8.

SECTION A - PROPERTY INFORMATION	For Insurance Company Use:
A1. Building Owner's Name Charles Wright	Policy Number
A2. Building Street Address (including Apt., Unit, Suite, and/ocoldg. No.) or P.O. Route and Box No.	Company NAIC Number
City Fillmore State CA	ZIP Code 93015
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)	
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 8 A8. For a building with a crawl space or enclosure(s), provide: a) Square footage of crawl space or enclosure(s) b) No. of permanent flood openings in the crawl space or enclosure(s) walls within 1.0 foot enclosure(s) walls within 1.0 foot enclosure(s) walls within 1.0 foot enclosure(s) at large square footage of a squar	lood openings in the attached garage t above adjacent grade htg ood openings in A9.b sq in
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMAT	
B1. NFIP Community Name & Community Number O60413 O615 B2. County Name Ventora	B3. State
B4. Map/Panel Number B5. Suffix B6. FIRM Index B7. FIRM Panel B8. Flood Date Effective/Revised Date Zone(s) O604130615 B 1931/85 MA A	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.	380.5 0+ 08/08/08
FIS Profile FIRM	e)
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQ	VIRED)
 C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AF below according to the building diagram specified in Item A7. Benchmark Utilized 3768-4 	Finished Construction R/AH, AR/AO. Complete Items C2.a-g
Benchmark Utilized 13M 68-4 Vertical Datum 1929 Conversion/Comments D16	
Conversion/Comments NA Check the measurements	
Conversion/Comments Check the measure of the next higher floor Do of the next higher floor Check the measure of the next higher floor Do of the next higher floor Do of the next higher floor Check the measure of the next higher floor Do of th	
Conversion/Comments Check the measure of the next higher floor Do of the next higher floor Check the measure of the next higher floor Do of the next higher floor Do of the next higher floor Check the measure of the next higher floor Do of th	urement used. meters (Puerto Rico only)
Conversion/Comments Check the measure of the next higher floor Do of the next higher floor Check the measure of the next higher floor Do of the next higher floor Do of the next higher floor Check the measure of the next higher floor Do of the next higher floor Do of the next higher floor Check the measure of the next higher floor Do of the next higher	urement used. meters (Puerto Rico only) TION evation
Conversion/Comments Check the measure of the conversion of the lowest horizontal structural member (V Zones only) Attached garage (top of slab) Check the measure of the lowest horizontal structural member (V Zones only) Attached garage (top of slab) Check the measure of the lowest horizontal structural member (V Zones only) Check devation of machinery or equipment servicing the building (Describe type of equipment in Comments) Check adjacent (finished) grade (LAG) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICA This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify eleinformation. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001 Check here if comments are provided on back of form. Certifier's Name	meters (Puerto Rico only) TION evation J. J
Check the measure of the comments of the lowest horizontal structural member (V Zones only) of the next higher floor of the lowest horizontal structural member (V Zones only) of the lowest horizontal structural member (V Zones only) of the lowest horizontal structural member (V Zones only) of the lowest devation of machinery or equipment servicing the building (Describe type of equipment in Comments) of Lowest adjacent (finished) grade (LAG) of the lowest adjacent (finished) grade (HAG) of the lowest adjacent (finished) gr	meters (Puerto Rico only) TION evation TION EXAMPLE ARCHITECT SEAL HERE ANA NEM C-4512
Conversion/Comments Check the measure of the conversion of the next higher floor Check the measure of the next higher floor Check the next of the the left of the the left of t	meters (Puerto Rico only) TION evation J. J


IMPORTANT: In these spaces, copy the corresponding information from Section A.			For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			:Policy Number:
Fillmore	State (A	93015	
	OR, ENGINEER, OR ARC		
Copy both sides of this Elevation Certificate for (1) co-	mmunity official, (2) insurance	agent/company, and (3) build	ding owner.
Comments			
Signature Le Roy M. andrews	Da	ate 7/17/08	Check here if attachments
	ORMATION (SURVEY NO		AO AND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), complete Items £			
and C. For Items E1-E4, use natural grade, if available E1. Provide elevation information for the following a		•	
grade (HAG) and the lowest adjacent grade (LA	(G).		- · ·
a) Top of bottom floor (including basement, crav b) Top of bottom floor (including basement, crav		leet laneter	rs □ above or □ below the HAG. rs □ above or □ below the LAG.
E2. For Building Diagrams 6-8 with permanent flood	openings provided in Section	_A Items 8 and/or 9 (see pag	e 8 of Instructions), the next higher floor
(elevation C2.b in the diagrams) of the building E3. Attached garage (top of slab) is	is feet	metersabove or ove or below the HAG.	below the HAG.
E4. Top of platform of machinery and/or equipment	servicing the building is	feet	
E5. Zone AO only: If no flood depth number is available.			with the community's floodplain management
ordinance? Yes No Unknown. T	he local official must certify thi	is information in Section G.	
SECTION F - PROPER	RTY OWNER (OR OWNER	'S REPRESENTATIVE)	CERTIFICATION
The property owner or owner's authorized representa or Zone AO must sign here. The statements in Section			ut a FEMA-issued or community-issued BFE)
Property Owner's or Owner's Authorized Representat	ive's Name Charles	1 Walt	
Address	O'h.	o wing w	State ZIP Code
Signature Plan Parling Str	Date Date	enube c	17 9303
walle wages		117108 (8	05)658-7262
Comments			
			Check here if attachments
SECT	ON G - COMMUNITY INFO	ORMATION (OPTIONAL)	
The local official who is authorized by law or ordinance and G of this Elevation Certificate. Complete the applic	to administer the community's	floodplain management ord	nance can complete Sections A, B, C (or E),
			licensed surveyor, engineer, or architect who
is authorized by law to certify elevation inform	nation. (Indicate the source ar	nd date of the elevation data	in the Comments area below.)
62. A community official completed Section E for	- '		mmunity-issued BFE) or Zone AO.
The following information (Items G4G9.) is			2/0
G4. Permit Number G5. Date Pe	//- 2/ - 06	G6. Date Certificate C	Of Compliance/Occupancy Issued
97. This permit has been issued for: New Consti		nprovement	
38. Elevation of as-built lowest floor (including baseme	int) of the building: 382		neters (PR) Datum NG VI 1929
9. BFE or (in Zone AO) depth of flooding at the buildi	ng site:	feet Ll m	neters (PR) Datum
Local Official's Name Brian	Trushinski	Title Flood Place	Narage.
Community Name County of Ver	tur	Telephone (805) 4	77-1967
Signature		Date 09-25	-08
Comments Tan of femiles of	Hoos in 2.1.	Get above to	BFE (380,5 A.NGV)
elited certifica storis inst	1 00 1 1	sterted impacts	of flood buoyancy, floo taken
and lateral movement.	Lowest wfilty as	282.4 P.	WG W Scheck here if attachments
FEMA Form 81-31, February 2006	<u> </u>	1/2	Replaces all previous editions

Building Photographs See Instructions for Item A6.

			For insulative Company use,
Building Street Address (in	Policy Number		
	ordaniga (pa) cana, canalor blag. (100) ca	T.O. House and Box Ho.	
City	State	ZIP Code	Company NAIC Number


If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.







south



west



NOKH View



Permit#2006-13

NATIONAL FLOOD INSURANCE PROGRAM

ELEVATION CERTIFICATE

AND

INSTRUCTIONS

NATIONAL FLOOD INSURANCE PROGRAM ELEVATION CERTIFICATE

PAPERWORK REDUCTION ACT NOTICE

Public reporting burden for the Elevation Certificate is estimated to average 3.5 hours per response. Burden means the time, effort, or financial resources expended by persons to generate, maintain, retain, disclose, or provide information to the Federal Emergency Management Agency (FEMA). You are not required to respond to the collection of information unless a valid OMB control number is displayed in the upper right corner of the form. You may send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: U.S. Department of Homeland Security, Federal Emergency Management Agency, Mitigation Division, 500 C Street SW, Washington DC 20472, Paperwork Reduction Project (1660-0008). NOTE: Do not send your completed form to this address. To obtain or retain benefits under the National Flood Insurance Program (NFIP), you must respond to this collection of information.

PURPOSE OF THE ELEVATION CERTIFICATE

The Elevation Certificate is an important administrative tool of the National Flood Insurance Program (NFIP). It is to be used to provide elevation information necessary to ensure compliance with community floodplain management ordinances, to determine the proper insurance premium rate, and to support a request for a Letter of Map Amendment (LOMA) or Letter of Map Revision based on fill (LOMR-F).

The Elevation Certificate is required in order to properly rate post-FIRM buildings, which are buildings constructed after publication of the Flood Insurance Rate Map (FIRM), located in flood insurance Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, and AR/AO. The Elevation Certificate is not required for pre-FIRM buildings unless the building is being rated under the optional post-FIRM flood insurance rules.

As part of the agreement for making flood insurance available in a community, the NFIP requires the community to adopt a floodplain management ordinance that specifies minimum requirements for reducing flood losses. One such requirement is for the community to obtain the elevation of the lowest floor (including basement) of all new and substantially improved buildings, and maintain a record of such information. The Elevation Certificate provides a way for a community to document compliance with the community's floodplain management ordinance.

Use of this certificate does not provide a waiver of the flood insurance purchase requirement. Only a LOMA or LOMR-F from the Federal Emergency Management Agency (FEMA) can amend the FIRM and remove the Federal mandate for a lending institution to require the purchase of flood insurance. However, the lending institution has the option of requiring flood insurance even if a LOMA/LOMR-F has been issued by FEMA. The Elevation Certificate may be used to support a LOMA or LOMR-F request. Lowest floor and lowest adjacent grade elevations certified by a surveyor or engineer will be required if the certificate is used to support a LOMA or LOMR-F request. A LOMA or LOMR-F request must be submitted with either a completed FEMA MT-EZ or MT-1 package, whichever is appropriate.

This certificate is used only to certify building elevations. A separate certificate is required for floodproofing. Under the NFIP, non-residential buildings can be floodproofed up to or above the Base Flood Elevation (BFE). A floodproofed building is a building that has been designed and constructed to be watertight (substantially impermeable to floodwaters) below the BFE. Floodproofing of residential buildings is not permitted under the NFIP unless FEMA has granted the community an exception for residential floodproofed basements. The community must adopt standards for design and construction of floodproofed basements before FEMA will grant a basement exception. For both floodproofed non-residential buildings and residential floodproofed basements in communities that have been granted an exception by FEMA, a floodproofing certificate is required.

Additional guidance can be found in the FEMA Floodplain Management Bulletin about using the Elevation Certificate, available on FEMA's website at www.fema.gov/fima/fpmbul.shtm. Click on "FEMA 467-1 Elevation Certificate Cover and Bulletin."

19.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Federal Emergency Management Agency

National Flood Insurance Program Important: Read the instructions on pages 1-8.

SECTION A - PROPERTY INFORMATION	For Insurance Company Use:		
A1. Building Owner's Name Charles Wright	Policy:Number		
A2. Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No.	:Company NAIC:Number		
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)	ZIP Code 93015		
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number A8. For a building with a crawl space or enclosure(s), provide: a) Square footage of crawl space or enclosure(s) b) No. of permanent flood openings in the crawl space or b) No. of permanent flood openings in the crawl space or	ached garage <u>ha</u> sq ft od openings in the attached garage bove adjacent grade <u>ha</u>		
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	DN		
B1. NFIP Community Name & Community Number B2. County Name VENTURA	B3. State		
B4. Map/Panel Number B5. Suffix B6. FIRM Index Date Date Date Date Date Date Date Date	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)		
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe)			
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUI C1. Building elevations are based on: Construction Drawings* Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Benchmark Utilized BM 6-4 Vertical Datum 1939 Conversion/Comments	Finished Construction		
Check the measure	ement used.		
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) feet metals make the property of	eters (Puerto Rico only)		
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATI			
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify eleval information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. Certifier's Name LeRoy Andrews Company Name Company Name LeRoy Andrews Orchitects Address City City City City City City City City Code State Check or City City Company Name Company N	PLACE SEAL OHERE		

MPORTANT:	In these spaces, copy	the corresponding inform	nation from Section A.		For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg, No.) or P.O. Route and Box No.				Policy Number	
ty	Fillmore	State (A	9.30	ZIP Code	Company NAIC Number
		SURVEYOR, ENGINEER,	OR ARCHITECT CERTIFIC	CATION (CONT	INUED)
by both sides	of this Elevation Certificate	for (1) community official, (2) i	nsurance agent/company, and	(3) building owne	r.
nments					
					······································
nature	YD 1		Date 7/29/0	r.	
SECTION	E-BUILDING FLEVAT	ON INFORMATION (SUR)		ZONE AO AN	Check here if attachments D ZONE A (WITHOUT BFE)
or Zones AO a nd C. For Iten	and A (without BFE), comple ns E1-E4, use natural grade	ete Items E1-E5. If the Certifica , if available. Check the meas	ite is intended to support a LO prement used. In Puerto Rico	MA or LOMR-F re	quest, complete Sections A, B,
 Provide el 	levation information for the f	ollowing and check the approp			ve or below the highest adjacent
grade (HA	AG) and the lowest adjacent	grade (LAG). ment, crawl space, or enclosur			ve or below the HAG.
b) Top of	bottom floor (including base	ment, crawl space, or enclosur	e) is [] feet [meters abo	ve or Delow the LAG,
 For Building (elevation) 	ng Diagrams 6-8 with perma C2.b in the diagrams) of the	ment flood openings provided i e building is		see page 8 of Inst or below the	
3. Attached	garage (top of slab) is	, feet _ meters	above or below the	HAG.	
		quipment servicing the building			
		per is available, is the top of the known. The local official must			mmunity's floodplain management

		PROPERTY OWNER (OR			·····
property ow Zone AO mus	vner or owner's authorized re st sign here. <i>The statement</i>	epresentative who completes S s <i>in Sections A, B, and E are c</i>	ections A, B, and E for Zone A prect to the best of my knowle	. (without a FEMA <i>dge</i> .	-issued or community-issued BFE)
	's or Owner's Authorized Re		4 4 16 6		
dress, O-			<u>rieowng W</u>	State	ZIP Code
<u> </u>	14 Cardinal.	Street	Ventua	State	3003
$^{inature}\mathcal{CM}$	alestrack	M	Date 7/29/08	Telephone	1805/658-7262
mments					
					X
····		SECTION G - COMMUN	TY INFORMATION (OPTIO	γναι γ	Check here if attachmer
local official v	who is authorized by law or o	ordinance to administer the con	munity's floodplain managem	ent ordinance can	complete Sections A, B, C (or E),
G of this Elev	ration Certificate. Complete	the applicable item(s) and sign	below. Check the measurem	ent used in Items	G8. and G9.
The info	этпацол in Section C was ta prized by law to certify eleva	ken from other documentation tion information. (Indicate the :	mat has been signed and sea source and date of the elevation	ed by a licensed : n data in the Com	surveyor, engineer, or architect who nments area below.)
		tion E for a building located in			
☐ The foll	owing information (Items G4	IG9.) is provided for communi	ty floodplain management pur	ooses.	
Permit Num	ber G5.	Date Permit Issued	G6. Date Cert	ficate Of Complia	nce/Occupancy Issued
···	·		······································	3 08	
		g basement) of the building;	tantial Improvement	meters (PR)	Datum <i>NGVD 1929</i>
	ne AO) depth of flooding at		feet	meters (PR)	
cal Official's N	- Brian J	Trushirta	Title Flood p	ren Man	nase/
nmunity Nam	County of U	lestura_	Telephone 805) 477-19	
nature	6),// SUC		Date 09/	25/08	
mments (1 00 1 7	7/	DET (20. 11 C
7	100 of Garas	e 5/46 ra /.	6 ft. higher	Than the	BFE. (380.5 A
No.	utilities or a	erios below	the BFE (.	380.5A	NGUD 1929 SER
ildis con	moone to and of	nishing materia	& ou resistant	to flow	Check here if attachmen
1 Wa	Ker damas	e. /			
ın rorm 81-	31, February 2006				Replaces all previous edition

Building Photographs See Instructions for Item A6.

			For Insurance Company Use:
Building Street Address (in	Policy Number		
City	State	ZIP Code	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page,





